## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






	97			— J
•	CON. PAC.	CCM, P. 15,	CON, REC., 176	
* <b>6</b> <b>2</b> 7	HT. Comment of the second of t	TIME REL. 1 TIME REL. 1 TIME AEL. 1 TIME AEL. 1	17, ME REL, 11 (200) CNT. WIL, 1 (200) CNT. WIL, 3	
7 - 17	EVENT COF EVENT 1 FORM EV COXE 3	EVENT A  EVENT 1  EVENT 2  T  EVENT 4  T	EVENTA TI	
	ENABLE REG. 1 (CNABLE REG. 1) (CNABLE REG. 1) (173)	(NARLE AEG. 3)	100 100 100 100 100 100 100 100 100 100	PROCESSOR -
	EVENT CODE TACKE EVENT I EVENT 1	TIMER PAOCESSOR	ADAPTIVE EVENT CONE REG. I AIMOTIVE EVENT CONE RIG. 3	136 PROCESSOR
,	= 1	8		90

510 BEGIN 512 CENTRATE AT LEAST ONE ADAPTIVE EVENT CODE IN WHICH THE ADAPTHE EVENT CODE CORRESPONDS TO A PREEXISTING EVENT LODE 514 STORE THE ADAPTIVE EVENT CODE IN AT LEAST ONE TABLE 516 RUN THE TABLE IN WHICH THE ADAMINE EVENT CODES ARE AT LEAST INITIALLY DISACLED 518 IGNORING THE ADAPTIVE EVENT CODES DURING THE RUNNING STEP WHEN THE ANATIVE EVENT LODES ARE DISABLED 520 YES SYSTEM NO EVENT ? 522 ENABLE THE ADAPTIVE EVENT COLF RETRIEVE FROM HIN ADAPTIVE EVENT CODE REGISTER THE LORACT PONGUG PREEXISTING EVENT COSE THAT IS TO BE EXECUTED 506 EXECUTE THE PREEXICTING EVENT CORE THAT LORRESPONDS TO THE ONABLED APADTIVE EVENT CODE

-529

END

F1G. 5



F. G. 6